

WALL TILES

30 x 60 cm / 12" x 24"



NKR - KYRA

30 x 60 cm / 12" x 24"



NKR- Kyra

NKR- Waves Kyra

◆ RELIEF



Red Body
Tile

Wall
Tile

Satin

Shade
Variation

RED BODY
TILE



30x60 NKR - Kyra

NKR - PALMIRA

30 x 60 cm / 12" x 24"

RED BODY
TILE

-  Red Body Tile
-  Wall Tile
-  Glossy
-  Shade Variation



NKR- Palmira White

NKR- Waves Palmira White



RELIEF



30x60 NKR - Palmira White
30x60 NKR - Waves Palmira White

TECHNICAL SPECS

PACKING

| Size | Quantity/Box | Sqm/Box | Kg/Box | Quantity/Pallet | Sqm/Pallet | Kg/Pallet |
|-----------------------|--------------|---------|--------|-----------------|------------|-----------|
| 30x60 cm 12" x 24" | 8 pcs. | 1.44 | 21.45 | 60 box | 86.40 | 1287 |

FITTING RECOMMENDATIONS

You should always read the manufacturer's recommendations and the data sheets for all of the products and materials you use. It is important to have qualified professional tilers carry out the work to ensure each project is performed with the necessary quality and best end result in terms of technical features and appearance.

Select the right type of tile for the project based on the technical and functional requirements of the surface to be tiled. The manufacturer states what each tile is intended to be used for based on its characteristics. Take the following into account when selecting the tile: mechanical requirements, slip resistance, frost resistance, chemical resistance and dimensional characteristics.

After you have selected the right tile for each project, examine the base it will be fitted to and select the adhesive and grout. All of these criteria together will determine the most appropriate tiling technique for each project.

It is very important to adhere to adequate setting times and to allow enough time for the surfaces to cure so they can properly bear the loads and prevent possible stress and structural movement that could be transmitted to the outer layers.

KER LIFE CERAMICAS S.L. reserves the right to modify and/or discontinue certain models listed in this catalog without notice. Due to the printing process colors shown in this catalog should be considered approximate; they may vary slightly from the original. The total or partial reproduction of this catalog (photographs, text, illustrations, designs, graphic representations, etc.) without the express authorization of KER LIFE CERAMICAS S.L. is forbidden.



